


Product Data Sheet

Astro Trend

Revision 1 - 26th September 2025



Astro Trend

Rebated Drop Down Seal For Doors

- Rebated model for timber doors.
- Acoustically tested achieving up to 39dB Rw*.
- Removable seal to aid in fitting/replacement.
- 14mm maximum drop.
- Tested to 200,000 cycles.
- Self-directing reinforced plunger.
- Therm type high quality co-extruded, self-extinguishing seal, in an aluminium body.
- Acoustic testing undertaken in accordance with BS EN ISO 10140-1 and BS EN ISO 10140-2 achieving a rating of 39dB.
- Fire tested to BS EN 1634-1 and BS476: Part 22 to 60 minutes.
- Smoke tested to BS EN 1634-3: 2004.
- Certifire approved.



Product Description

Discover the Astro Trend Drop Down Seal a cost-effective and reliable solution for sealing the bottom of timber doors. This rebated drop-down seal automatically closes the gap between the door and the floor, helping to prevent noise, smoke and drafts.

Acoustically tested to achieve up to 39dB Rw*, fire tested up to 60 minutes providing exceptional protection and performance. The Astro Trend Drop Down Seal features a maximum drop of 14mm and can be trimmed to suit your installation requirements.

Designed for durability, the Astro Trend Drop Down Seal has been tested to 200,000 cycles. It also includes a removable seal to simplify fitting and replacement. A self-directing reinforced plunger ensures consistent sealing action.

Product Description

Manufactured from a high-quality, co-extruded self-extinguishing thermoplastic in an aluminium body, this seal meets rigorous standards:

- Acoustic testing to BS EN ISO 10140-1 and BS EN ISO 10140-2 (39dB* rating).
- Fire testing to BS EN 1634-1 and BS476: Part 22 (60 minutes).
- Smoke tested to BS EN 1634-3:2004.
- Certifire approved.

Available in lengths from 326mm to 1226mm.

Ideal for door projects requiring reliable acoustic, smoke and fire protection in one easy-to-install drop-down seal.

Product Availability

Maximum trimming:

- 50mm - 326mm
- 135mm - 426mm
- 200mm - 526mm to 1226mm.

Product Code	Description	Colour	Size
AFASDBTD/326	Astro Trend - Rebated Drop Down Seal	Aluminium finish	326mm
AFASDBTD/426	Astro Trend - Rebated Drop Down Seal	Aluminium finish	426mm
AFASDBTD/526	Astro Trend - Rebated Drop Down Seal	Aluminium finish	526mm
AFASDBTD/626	Astro Trend - Rebated Drop Down Seal	Aluminium finish	626mm
AFASDBTD/726	Astro Trend - Rebated Drop Down Seal	Aluminium finish	726mm
AFASDBTD/826	Astro Trend - Rebated Drop Down Seal	Aluminium finish	826mm
AFASDBTD/926	Astro Trend - Rebated Drop Down Seal	Aluminium finish	926mm
AFASDBTD/1026	Astro Trend - Rebated Drop Down Seal	Aluminium finish	1026mm
AFASDBTD/1126	Astro Trend - Rebated Drop Down Seal	Aluminium finish	1126mm
AFASDBTD/1226	Astro Trend - Rebated Drop Down Seal	Aluminium finish	1226mm

To Order & Specify

Please contact us and quote the following information -

Please contact us and quote the following - Quantity / Product Description / Product Code / Colour / Size

Typical wording - 10 / Astro Trend - Rebated Drop Down Seal / AFASDBTD/326 / Aluminium finish / 326mm

>> Tel: [01329 844 500](tel:01329844500) or >> Email: sales@astroflame.com

Additional notes

* The sound reduction rating will vary depending on the door density and any additional threshold & perimeter seals used in conjunction with this product, contact Astroflame for confirmation before specifying.

For further information on installation requirements please refer to the door manufacturer data to ensure the compatibility of this product, if in doubt please contact the technical team on: tel [01329 844 500](tel:01329844500) or email sales@astroflame.com

Health and Safety

For further information on health and safety requirements please contact the technical team on: tel [01329 844 500](tel:01329844500) or email sales@astroflame.com

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.